


Law of corresponding states



$H < 0$
 $T > T_c$

$T = T_c$

$T < T_c$

$H = 0$
 $T > T_c$

$T = T_c$

$T < T_c$

$H > 0$
 $T > T_c$



$T = T_c$

$T < T_c$

$H < 0$
 $T > T_c$

$T = T_c$

$T < T_c$



$T < T_c$

$H > 0$
 $T > T_c$




$T = T_c$

$T < T_c$

$H < 0$
 $T > T_c$

$T = T_c$

$T < T_c$



$H > 0$
 $T > T_c$

$T = T_c$


$T < T_c$

$H < 0$
 $T > T_c$


$T = T_c$

$T < T_c$


$H = 0$
 $T > T_c$



$T = T_c$




$T < T_c$



$H > 0$
 $T > T_c$





$T = T_c$

$T < T_c$





$T = T_c$

$T < T_c$







$T = T_c$

$T < T_c$





$T < T_c$








$T = T_c$









$T < T_c$












$T < T_c$













$T < T_c$



$T < T_c$









$$t = t_1$$




$$t < t_1$$



$$t = t_1$$



$$t < t_1$$



$t < t_1$







Table 3.1 CRITICAL EXPONENTS FOR THE ISING UNIVERSALITY CLASS

Exponent	Mean Field	Experiment	Ising ($d = 2$)	Ising ($d = 3$)
α	0 (disc.)	0.110 – 0.116	0 (log)	0.110(5)
β	1/2	0.316 – 0.327	1/8	0.325 ± 0.0015
γ	1	1.23 – 1.25	7/4	1.2405 ± 0.0015
δ	3	4.6 – 4.9	15	4.82(4)
ν	1/2	0.625 ± 0.010	1	0.630(2)
η	0	0.016 – 0.06	1/4	0.032 ± 0.003

$$C_T = T \frac{\partial S}{\partial T} \sim |T - T_c|^{-\alpha}$$

$$m = \frac{\partial f}{\partial B} \sim |T - T_c|^\beta$$

$$\chi_T = \left. \frac{\partial m}{\partial B} \right|_T \sim |T - T_c|^{-\gamma}$$

$$m \sim B^{1/\delta} \quad (T = T_c)$$

$$\xi \sim |T - T_c|^{-\nu}$$

$$G(\mathbf{r} - \mathbf{r}') = \langle \phi(\mathbf{r})\phi(\mathbf{r}') \rangle \sim |\mathbf{r} - \mathbf{r}'|^{-D+2-\eta} \quad (T = T_c)$$

Table 3.1 CRITICAL EXPONENTS FOR THE ISING UNIVERSALITY CLASS

Exponent	Mean Field	Experiment	Ising ($d = 2$)	Ising ($d = 3$)
α	0 (disc.)	0.110 – 0.116	0 (log)	0.110(5)
β	1/2	0.316 – 0.327	1/8	0.325 ± 0.0015
γ	1	1.23 – 1.25	7/4	1.2405 ± 0.0015
δ	3	4.6 – 4.9	15	4.82(4)
ν	1/2	0.625 ± 0.010	1	0.630(2)
η	0	0.016 – 0.06	1/4	0.032 ± 0.003

note:
not all critical exponents
are independent
(just two independent,
scaling laws)

$$C_T = T \frac{\partial S}{\partial T} \sim |T - T_c|^{-\alpha}$$

$$m = \frac{\partial f}{\partial B} \sim |T - T_c|^\beta$$

$$\chi_T = \left. \frac{\partial m}{\partial B} \right|_T \sim |T - T_c|^{-\gamma}$$

$$m \sim B^{1/\delta} \quad (T = T_c)$$

$$\xi \sim |T - T_c|^{-\nu}$$

$$G(\mathbf{r} - \mathbf{r}') = \langle \phi(\mathbf{r})\phi(\mathbf{r}') \rangle \sim |\mathbf{r} - \mathbf{r}'|^{-D+2-\eta} \quad (T = T_c)$$